



Dimensions

Alternative number of slots 2 to 8. Standard lengths: 600, 900, 1200 and 1500 mm. For linear application, look at page 8.



Size	L x H	ø d	F	E	G
2-600	600 x 100	159	250	230	
3-600	600 x 140	159	290	230	
4-600	600 x 180	159	330	230	
6-600	600 x 260	199	460	230	
8-600	600 x 340	199	540	230	
2-900	900 x 100	159	250	230	
3-900	900 x 140	2 x 159	290	230	460
4-900	900 x 180	2 x 159	330	230	460
6-900	900 x 260	2 x 159	460	230	460
8-900	900 x 340	2 x 199	540	230	460
2-1200	1200 x 100	2 x 159	250	230	610
3-1200	1200 x 140	2 x 159	290	230	610
4-1200	1200 x 180	2 x 159	330	230	610
6-1200	1200 x 260	2 x 199	460	230	610
8-1200	1200 x 340	2 x 249	540	280	610
2-1500	1500 x 100	2 x 159	250	230	760
3-1500	1500 x 140	2 x 159	290	230	760
4-1500	1500 x 180	2 x 199	330	230	760
6-1500	1500 x 260	2 x 249	460	280	760
8-1500	1500 x 340	2 x 249	540	280	760
2-1800	1800 x 100	2 x 159	250	230	920
3-1800	1800 x 140	2 x 199	290	230	920
4-1800	1800 x 180	2 x 199	330	230	920
6-1800	1800 x 260	2 x 249	460	280	920
8-1800	1800 x 340	2 x 249	540	280	920

Dimensions continue in page 7.



For linear application, look at page 8

Linear installation

